



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/643,322	08/19/2003	James M. Kadushin	DSC0029-00US	3954
48394	7590	11/17/2010		
DIEHL, SERVILLA LLC 33 WOOD AVE SOUTH SECOND FLOOR, SUITE 210 ISELIN, NJ 08830				
EXAMINER ALEXANDER, LYLE				
ART UNIT		PAPER NUMBER		
1773				
NOTIFICATION DATE		DELIVERY MODE		
11/17/2010		ELECTRONIC		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

docket@dsiplaw.com
jescoabar@dsiplaw.com
lmurphy@dsiplaw.com

Office Action Summary

Application No.

10/643,322

Applicant(s)

KADUSHIN ET AL.

Examiner

LYLE A. ALEXANDER

Art Unit

1773

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 January 2010.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3-5,30 and 32-36 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,3-5, 30 and 32-36 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB-06)
Paper No(s)/Mail Date _____

- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

Claim Rejections - 35 USC § 102

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 1,3-5, 30 and 32-36 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Nova et al. (USP 5,741,462).

Nova et al. teach a solid support used for combinatorial chemistry where the analyte of interest is bound and identified using convention tags or labels (see column 1 lines 30+ and column 8 lines 31-52). This has been read on the claimed "substrate ... for supporting at least one complement ... signal generating means for detecting a detectable signal at locations ...". Column 4 lines 52-61 teach the solid support can be made of glasses which is identical to the presently claimed supporting material. Column 5 lines 14-22 teach coating the support with a protective polymer. Column 17 lines 11-23 teach the claimed methyl acrylate copolymer.

The 1/27/10 amendments have added the limitations that the protective coating is covering the complement fixed on the sample contact surface and the protective coating is impervious to at least one gas. Nova et al. teach in columns 29-30 lines 57-13 respectively, the sample (corresponding to the claimed "substance"), the antibody-matrix with memory (corresponding to the claimed "signal generator") and conjugated monoclonal antibodies (corresponding to the claimed "complement") are added to a seal test tube (corresponding to the claimed "protective coating"). The sample will be bound

to the antibody-matrix and sealed within the test tube which is indistinguishable from the instant claims.

Response to Arguments

1. Applicant's arguments filed 1/27/10 have been fully considered but they are not persuasive.
2. Applicant traverses the 35 USC 102(b) rejections over Nova et al. Applicant states Nova et al. teaches providing a protective coating over the signal generating means, but fails to provide the coating over the complement fixed on a substrate and any corresponding substance bound thereto.
3. The instant claim language is sufficiently broad to have been properly read on Nova et al. Specifically, there are no details as to the permeability of the coating or how the coating is applied. The Office maintains Nova et al. teach in columns 29-30 above, all of the claimed elements in a sealed test tube which has been properly read on the claimed "protective coating".

4. Conclusion

5. This is a continuation of applicant's earlier Application No. 10/643322. All claims are drawn to the same invention claimed in the earlier application and could have been finally rejected on the grounds and art of record in the next Office action if they had been entered in the earlier application. Accordingly, **THIS ACTION IS MADE FINAL** even though it is a first action in this case. See MPEP § 706.07(b). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no, however, event will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LYLE A. ALEXANDER whose telephone number is (571)272-1254. The examiner can normally be reached on Monday through Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jill Warden can be reached on 571-272-1267. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/LYLE A ALEXANDER/
Primary Examiner, Art Unit 1773
6.